

How chip makers should (not) support Free Software

Avoiding earned Paper Has a Subtitle

Harald Welte

hmw-consulting.de
gpl-violations.org
VIA Open Source Liaison

Embedded Linux Conference Europe, 2008

Outline

- 1 Motivation
 - The Basic Problem That We Studied
 - Previous Work
- 2 Our Results/Contribution
 - Main Results
 - Basic Ideas for Proofs/Implementation

Outline

- 1 Motivation
 - The Basic Problem That We Studied
 - Previous Work
- 2 Our Results/Contribution
 - Main Results
 - Basic Ideas for Proofs/Implementation

Make Titles Informative. Use Uppercase Letters.

Subtitles are optional.

- Use `itemize` a lot.
- Use very short sentences or short phrases.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Make Titles Informative.

You can create overlays. . .

- using the `pause` command:
 - First item.
 - Second item.
- using overlay specifications:
 - First item.
 - Second item.
- using the general `uncover` command:
 - First item.
 - Second item.

Outline

- 1 Motivation
 - The Basic Problem That We Studied
 - Previous Work
- 2 Our Results/Contribution
 - Main Results
 - Basic Ideas for Proofs/Implementation

Make Titles Informative.

Make Titles Informative.

Outline

- 1 Motivation
 - The Basic Problem That We Studied
 - Previous Work
- 2 Our Results/Contribution
 - **Main Results**
 - Basic Ideas for Proofs/Implementation

Make Titles Informative.

Make Titles Informative.

Make Titles Informative.

Outline

- 1 Motivation
 - The Basic Problem That We Studied
 - Previous Work
- 2 Our Results/Contribution
 - Main Results
 - Basic Ideas for Proofs/Implementation

Make Titles Informative.

Make Titles Informative.

Make Titles Informative.

Summary

- The **first main message** of your talk in one or two lines.
- The **second main message** of your talk in one or two lines.
- Perhaps a **third message**, but not more than that.

- Outlook
 - Something you haven't solved.
 - Something else you haven't solved.

For Further Reading I



A. Author.

Handbook of Everything.

Some Press, 1990.



S. Someone.

On this and that.

Journal of This and That, 2(1):50–100, 2000.